

IN THE CLAIMS

Please amend the claims as follows:

Claims 1-3 (Canceled).

Claim 4 (New): A seat belt system comprising:

a first buckle unit including a first tongue plate and a first buckle body; and
a second buckle unit including a second tongue plate and a second buckle body,
the first and second buckle bodies respectively including:

frames;

ejectors slidably mounted on the frames in a direction in which the tongue
plates are inserted, while being biased in a direction in which the tongue plates are
released;

hook members pivotally mounted on the frames, the hook members pivoting
when the tongue plates are inserted to make engagement with engagement holes
formed at the tongue plates; and

release buttons for breaking engagement between the hook members, and the
tongue plates,

a distance from an insertion front end to the engagement hole of the first
tongue plate being longer than a distance from an insertion front end to the
engagement hole of the second tongue plate,

the ejectors respectively including abutment parts pushed by the tongue plates
when the tongue plates are inserted, the ejectors further respectively including
pushing parts in contact with the hook members when the tongue plates are most
deeply inserted to force the hook members to pivot in a direction for making
engagement with the tongue plates,

a distance from the abutment part to the pushing part of the ejector of the first buckle body being shorter than a distance from the abutment part to the pushing part of the ejector of the second buckle body;

restriction means for preventing the ejector of the first buckle body from reaching a position for making engagement when the second tongue plate is inserted into the first buckle body, and

the ejector of the first buckle body including suppression-specific projections for preventing pivotal movement of the hook member in a direction for making engagement until the ejector reaches a position for making engagement between the first tongue plate and the hook member.

Claim 5 (New): The seat belt system according to claim 4,

wherein the first and second buckle bodies respectively include lower covers with openings through which the tongue plates are inserted, and upper covers coupled to the lower covers, and

wherein a projection is defined at the opening of the lower cover of the first buckle body, the projection projecting further in a direction for releasing the tongue plate than that at the opening of the lower cover of the second buckle body, thereby constituting the restriction means.

Claim 6 (New): The seat belt system according to claim 4,

wherein a distance from an insertion front end to an insertion terminal end of an insertion part of the first tongue plate to be inserted into the first buckle body is longer than a distance from an insertion front end to an insertion terminal end of an insertion part of the

second tongue plate to be inserted into the second buckle body, thereby constituting the restriction means.

Claim 7 (New): The seat belt system according to claim 5,
wherein a distance from an insertion front end to an insertion terminal end of an insertion part of the first tongue plate to be inserted into the first buckle body is longer than a distance from an insertion front end to an insertion terminal end of an insertion part of the second tongue plate to be inserted into the second buckle body, thereby constituting the restriction means.